
Reference groups − ARI = 0.52
RSAT matrix−clustering
cluster_08
cluster_10
cluster_19
cluster_01
cluster_07
cluster_11
cluster_06
cluster_05
cluster_02
cluster_23
cluster_14
cluster_12
cluster_18
cluster_15
cluster_13
cluster_04
cluster_27
cluster_26
cluster_16
cluster_17
cluster_24
cluster_28
cluster_20
cluster_09
cluster_25
cluster_39
cluster_36
cluster_37
cluster_21
cluster_03
cluster_22
cluster_76
cluster_74
cluster_72
cluster_69
cluster_65
cluster_62
cluster_61
cluster_56
cluster_55
cluster_53
cluster_52
cluster_51
cluster_47
cluster_44
cluster_38
cluster_30
cluster_31
cluster_71
cluster_67
cluster_64
cluster_70
cluster_58
cluster_50
cluster_49
cluster_48
cluster_46
cluster_45
cluster_41
cluster_40
cluster_66
cluster_35
cluster_63
cluster_60
cluster_54
cluster_32
cluster_33
cluster_75
cluster_34
cluster_43
cluster_29
cluster_73
cluster_68
cluster_59
cluster_42
cluster_57
Loop−helix factors (bHLH)
C2H2 zinc finger factors
Fork head/winged helix factors
Basic leucine zipper factors (bZIP)
High−mobility group (HMG) domain factors
Unknown
Rel homology region (RHR) factors
GCM domain factors
DM−type intertwined zinc finger factors
Zipper−type
TEA domain factors
TATA−binding proteins
STAT domain factors
SMAD/NF−1 DNA−binding domain factors
SAND domain factors
Nuclear receptors with C4 zinc fingers::Nuclear receptors with C4 zinc fingers
MADS box factors
Heat shock factors
Grainyhead domain factors
Basic leucine zipper factors (bZIP)::Basic leucine zipper factors (bZIP)
ARID
Basic helix−span−helix factors (bHSH)
Runt domain factors
Runt domain factors::Runt domain factors
Paired box factors
Other C4 zinc finger−type factors
T−Box factors
Tryptophan cluster factors
Nuclear receptors with C4 zinc fingers